

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of)	
James D. Holker et al.)	Group Art Unit: unknown
Serial No. unknown)	
Filed: February 8, 2001)	Examiner: unknown
For: IMPROVED ANALYTE SENSOR AND)	
METHOD OF MAKING THE SAME)	
<hr/>		

POWER OF ATTORNEY BY ASSIGNEE
AND EXCLUSION OF INVENTOR UNDER RULE 3.71

Box Patent Application
Assistant Commissioner for Patents
Washington, D.C. 20231

Dear Sir:

The undersigned **Eric S. Kentor** is a representative authorized to sign on behalf of the assignee of the entire interest in the above-identified subject application, **MiniMed Inc.** and hereby appoints:

Paul H. Kovelman, Reg. No. 35,228;
Cary Talbot, Reg. No. 47,123;

and all of the firm of Konrad Raynes & Victor, LLP:

William K. Konrad, Reg. No. 28,868
Gary D. Mann, Reg. No. 34,867
Alan S. Raynes, Reg. No. 39,809
David W. Victor, Reg. No. 39,867

to prosecute this application and to transact all business in the United States Patent and Trademark Office connected therewith, said appointment to be to the exclusion of the inventor and his attorney in accordance with the provisions of Rule 32 of the Patent Office Rules of Practice.

MiniMed Inc., per 37 C.F.R. §3.73(b), certifies that the evidentiary documents with respect to its ownership have been reviewed and that to the best of the undersign's knowledge and belief, title is in the assignee seeking this action.

MiniMed Inc., declares that 100% ownership is established by an assignment to be in the Regular Utility Patent Application, and that the Inventors are under an obligation to assign the application to **MiniMed Inc.**


Please direct all telephone calls to Paul H. Kovelman at (818) 576-5313 and all correspondence relative to said application to the following address:

Paul H. Kovelman
MiniMed Inc.
18000 Devonshire Street
Northridge, CA 91325-1219

ASSIGNEE: **MiniMed Inc.**

Date: 2/8/01

Signature:



Eric S. Kentor

Title: Senior Vice President and General Counsel

Address: 18000 Devonshire Street
Northridge, CA 91325-1219